Propaq® LT Monitors

Monitor more patients in more places than ever before. Designed for bedside procedures, ambulatory monitoring and intrahospital transport, it is ideal for busy hospital settings.

- ■ Legendary quality and durability
- ■ Heart rate, 3-or 5-lead ECG, SpO$_2$, NIBP, respiration
- ■ Neonatal, pediatric and adult modes
- ■ Spot check and/or continuous monitoring modes
- ■ 24-hour tabular and graphical trending
- ■ Wireless connectivity to Acuity® Central Station

Propaq LT Base Model

802LT0S-0E0	Propaq LT monitor with Masimo® SpO$_2$ (Requires charging cradle to recharge batteries. Charging cradle sold separately)
802LT0S-CE1	Propaq LT monitor with Masimo SpO$_2$ and charging cradle - 120 NA
802LT0N-0E0	Propaq LT monitor with Nellcor® SpO$_2$ (Requires charging cradle to recharge batteries. Charging cradle sold separately)
802LT0N-CE1	Propaq LT monitor with Nellcor SpO$_2$ and charging cradle - 120 NA
802LT0N-UE1	Propaq LT monitor with Nellcor SpO$_2$ and charging cradle with a USB port - 120 NA

802LT0N-UE1
Propaq® LT/Charging
Cradle/USB Port - 120NA
(Laptop not included)

Propaq LT with Wireless Option

802LT0S-UE1	Propaq LT monitor with Masimo SpO$_2$,and charging cradle with USB port - 120 NA
802LTAN-0E0	Propaq LT monitor with Nellcor SpO$_2$, with wireless option - 120 NA (Requires charging cradle to recharge batteries. Charging cradle sold separately)
802LTAN-CE1	Propaq LT monitor with Nellcor SpO$_2$, wireless option and charging cradle - 120 NA
802LTAN-UE1	Propaq LT monitor with Nellcor SpO$_2$, wireless option and charging cradle with USB port - 120 NA
802LTAS-0E0	Propaq LT monitor with Masimo SpO$_2$, with wireless option - 120 NA (Requires charging cradle to recharge batteries. Charging cradle sold separately)
802LTAS-CE1	Propaq LT monitor with Masimo SpO$_2$, wireless option and charging cradle - 120 NA
802LTAS-UE1	Propaq LT monitor with Masimo SpO$_2$, wireless option and charging cradle with USB port - 120 NA

Propaq® LT with Wireless Option/
Charging Cradle - 120 NA

Charging Cradles and Accessories (Propaq LT)

008-0869-00	Propaq LT charging cradle, plug type A (NA/JA)
008-0873-00	Propaq LT charging / communications cradle with USB port, plug type A (NA/JA)
008-0931-00	Propaq LT charging / communications cradle with USB port and Large Color Display Interface - Plug Type A (US, JA)
008-0857-00	Replacement battery pack
008-0290-00	8 ft power cord DC, for connection to fused DC power sources
008-0882-00	6 ft USB 2.0 cable for charging cradle
810-2775-XX	Propaq LT PC configuration and print utility CD
900-0970-00	Cover kit for Propaq LT SPO_2, ECG connectors

Power Supply/Power Cords, Charging Cradle (Propaq LT)

503-0142-01	Power Supply, 15 V, 24 W, 100-240 VAC

Blood Pressure Accessories (Propaq LT) NIBP Hoses

008-0864-00	6 ft NIBP hose with twist lock cuff connector for Adult/Pediatric bladderless cuffs

NIBP Reusable Cuffs - Bladderless (hose not included)

008-0238-00	10ft NIBP hose with twist lock cuff connector for Adult/Pediatric bladderless cuffs
008-0265-01	8 ft NIBP hose for Infant/Neonate cuffs
REUSE-09-1MQ	Child One-Tube Cuff [Size 9]
REUSE-10-1MQ	Small Adult One-Tube Cuff [Size 10]
RESUSE-11-1MQ	Adult One-Tube Cuff [Size 11]
REUSE-12-1MQ	Large Adult One-Cuff [Size 12]

NIBP Disposable Cuffs-Bladderless (hose not included)

5082-101-1	Neonate #1, 3.3 - 5.6 cm single tube with male luer connector (box of 10)
5082-102-1	Neonate #2, 4.2 - 7.1 cm single tube with male luer connector (box of 10)
5082-103-1	Neonate #3, 5.4 - 9.1 cm single tube with male luer connector (box of 10)
5082-104-1	Neonate #4, 6.9 - 11.7 cm single tube with male luer connector (box of 10)
5082-105-1	Neonate #5, 8.9 - 15.0 cm single tube with male luer connector (box of 10)
5082-241-9	Neonatal Cuff Kit, one each of sizes #1 - #5, single tube with male luer connector (bag of 5)

SOFT-09-1MQ	Child One-Tube Cuff [Size 9]
SOFT-10-1MQ	Adult Small One-Tube Cuff [Size 10]
SOFT-11-1MQ	Adult One-Tube Cuff [Size 11]
SOFT-12-1MQ	Large Adult One-Tube Cuff [Size 12]
008-0619-00	Adult Thigh Cuff, 40.7 - 55.0 cm single tube with twist-lock connector (box of 5)

ECG Accessories (Propaq LT) 3-Lead ECG Cables

008-0676-00	ECG 3-lead one-piece 2' cable with 2' snap connectors (AAMI®)
008-0880-00	ECG 3-lead one-piece 8' cable with 2' snap connectors (AAMI)
008-0323-00	ECG 3-lead wire set, .060 Safety DIN with snap connectors for use with 008-0892-00 (AAMI)
008-0892-00	ECG 8 ft, 3-lead cable, Safety DIN, for use with 008-0323-00 (AAMI)

ECG Accessories (Propaq LT) 5-Lead ECG Cables

008-0319-00	ECG 5-lead wire set, .060" Safety DIN, Adult pinch connectors (AAMI)
008-0522-00	ECG 2 ft, 5-lead one-piece cable with 2' snap connectors (AAMI)
008-0879-00	ECG 8 ft, 5-lead one-piece cable with 2' snap connectors (AAMI)
008-0322-00	ECG 5-lead wire set, .060 Safety DIN snap connectors (for use with 008-0881-00 and 008-0900-00) (AAMI)
008-0881-00	ECG 8 ft , 5-lead cable, Safety DIN, for Propaq LT and Micropaq® (for use with 008-0322-00) (AAMI)
008-0900-00	ECG 2 ft, 5-lead cable, Safety DIN, for Propaq LT and Micropaq (for use with 008-0322-00) (AAMI)

ECG Extension Cable

008-0733-00	ECG Extension Cable, 5' (for either AAMI or IEC)

008-0734-00
ECG Adaptor Cable, Propaq® LT
or Micropaq to Propaq, 6′

ECG Cable Adaptors

008-0734-00	ECG Adapter Cable, Propaq LT or Micropaq to Propaq, AAMI
008-0735-00	Adaptor Cable, Micropaq-to-HP Propaq, 6'

Pulse Oximetry Accessories (Propaq LT)

900-0021-00	Nellcor - DS-100A Durasensor Adult reusable sensor
008-0742-00	Nellcor - 8 ft differential extension cable
008-1010-00	Masimo -10 ft DB9 LNCS SpO$_2$ extension cable
008-0960-00	Masimo - LNCS-DCI Adult reusable sensor
008-0962-00	Masimo - LNCS-DCIP Pediatric reusable sensor

008-0735-00
Adaptor Cable,
Micropaq®-to-HP Propaq®, 6′

900-0021-00
DS-100A Durasensor Adult
Oxygen Transducer

008-0742-00
Nellcor® Extension Cable 8 ft

900-0918-00
Patient Carrying Strap

008-0937-00
17" Color display for
Propaq® LT interface

Straps and Cases (Propaq LT)

900-0918-00	Patient Carrying Strap, Molded, box of 5
900-0925-01	Patient Wearable Strap with belt, box of 20
900-0924-01	Patient Wearable Strap with belt, box of 100
900-0922-00	Propaq LT / AED 10 combination carrying case
900-1008-00	Propaq LT carrying case
008-0996-00	Hard carrying case for (2) Propaq L monitors
900-0957-00	Transport stretcher strap

Large Color Display Options (Propaq LT)

008-0917-00	Large Color Display Interface Module for Propaq LT monitors
008-0937-00	17" Color display for Propaq LT interface
008-0946-00	USB cable, type A/B, 15' for Propaq LT Large Color Display Interface Module
008-0947-00	USB cable, type A/B, 1' for Propaq LT Large Color Display Interface Module
008-0948-00	Power cable, 5.0 m, for Propaq LT Large Color Display Interface Module
008-0949-00	Power cable, 0.5 m, for Propaq LT Large Color Display Interface Module
008-0394-00	Medical grade power conditioner (isolation transformer), 120 VAC, includes power cord
008-0397-00	Medical grade power conditioner (isolation transformer), 120 VAC, with wall mount and power cord
008-0984-00	15' USB and power cables and faceplate kit

Mounting Solutions (Propaq LT)

4700-58	Propaq LT Mobile Stand with Basket

Common Parts for Propaq LT monitor and Large Color Display Interface

008-0203-00	19" (48.3 cm) wall channel

Propaq LT

008-0980-00	6" basket without power adapter hook
008-0901-00	Short arm wall mount kit, tilt/swivel, drop-on style (includes wall channel, brackets and basket)
008-0903-00	Long arm wall mount kit, pivot block, drop-on style (includes wall channel, brackets and basket)
008-0902-00	Drop-on style adapter plate

008-0981-00	Power supply channel mounting bracket
008-0862-00	IV pole mount for charging cradle
900-1007-00	IV Pole mount replacement security strap, bag of 5
008-0992-00	Roll stand, complete kit (includes roll stand, basket, monitor mount and power adapter bracket)
008-0987-00	Monitor mounting adapter for Propaq LT roll stand
008-0994-00	Power adapter bracket for Propaq LT roll stand

Propaq LT Large Color Display

008-0983-00	Large Color Display Interface and flat panel mounting kit (includes wall channel, bracket and basket)
008-0982-00	VESA flat panel wall mount kit
008-0945-00	Wall mount bracket for Propaq LT Large Color Display Interface (includes power supply holster)

Extended Warranties

| S1-802LT | One year warranty extension for Propaq LT |
| S1-802LT-2 | One year warranty extension for Propaq LT |

4700-58
Propaq® LT Mobile
Stand with Basket

Propaq® CS Monitor

Small, light, and rugged, it's the perfect instrument for continuous bedside monitoring of vital signs.

- Base Monitor includes ECG, NIBP, temperature, impedance pneumography respiration and either Masimo® motion tolerant pulse oximetry or Nellcor® Oximax®

- Options include CO_2 (mainstream, sidestream or dualstream), 3-channel printer, Philips connectors, and one or two invasive blood pressure lines

- Large color display with color-differentiated parameters may be easily read across the room

- Custom selection of up to four viewable waveforms

- Adult, pediatric and neonatal modes for customized monitoring and specific patient populations

- Optional wireless connectivity to Acuity® and Acuity LT Central Station for truly flexible monitoring

Propaq CS Model 242 (Base Monitor)

9001-008152	Propaq CS, Model 242 - 8.4" TFT Color Display—monitors Adult 3-Lead ECG, Respiration, NIBP, Masimo Motion Tolerant SpO_2 and 2 channels of temperature, RS-432 Aquity Port
9001-001288	Propaq CS, Model 242 - 8.4" TFT Color Display - monitors Adult 3-or 5-Lead ECG, Respiration, NIBP, Nellcor OxiMax SpO_2 and 2 channels of temperature, RS-432 Acuity Port

Add Printer

9001-011589	Propaq CS, Model 242 - 8.4" TFT Color Display-monitors Adult 3-or 5-Lead ECG, Respiration, NIBP, Masimo Motion Tolerant SpO_2, Expansion Module and Printer and 2 channels of temperature RS-432 Acuity Port
9001-004720	Propaq CS, Model 242 - 8.4" TFT Color Display-monitors Adult 3- or 5-Lead ECG, Respiration, NIBP, Nellcor OxiMax SpO_2, Expansion Module and Printer and 2 channels of temperature RS-432 Acuity Port

Add CO_2 - Nellcor Versions

9001-005578	Propaq CS, Model 242 - 8.4" TFT Color Display—monitors Adult 3-or 5-Lead ECG, Respiration, NIBP, Nellcor OxiMax SpO_2, Expansion Module and Printer, 2 channels of temperature and Sidestream CO_2 RS-432 Acuity Port
9001-006436	Propaq CS, Model 242 - 8.4" TFT Color Display—monitors Adult 3-or 5-Lead ECG, Respiration, NIBP, Nellcor OxiMax SpO_2, Expansion Module and Printer, 2 channels of temperature, and Mainstream CO_2 RS-432 Acuity Port
9001-007294	Propaq CS, Model 242 - 8.4" TFT Color Display—monitors Adult 3- or 5-Lead ECG, Respiration, NIBP, Nellcor OxiMax SpO_2, Expansion Module and Printer, 2 channels of temperature, and Mainstream CO2 RS-432 Acuity Port

Add CO$_2$ — Masimo Versions

9001-012442	Propaq CS, Model 242 - 8.4" TFT Color Display - monitors Adult 3-or 5-Lead ECG, Respiration, NIBP, Masimo Motion Tolerant SpO$_2$, Expansion Module and Printer, 2 channels of temperature, and Sidestream CO$_2$ RS-432 Acuity Port
9001-013300	Propaq CS, Model 242 - 8.4" TFT Color Display - monitors Adult 3-or 5-Lead ECG, Respiration, NIBP, Masimo Motion Tolerant SpO$_2$, Expansion Module and Printer, 2 channels of temperature and Mainstream CO$_2$ RS-432 Acuity Port
9001-014158	Propaq CS, Model 242 - 8.4" TFT Color Display-monitors Adult 3-Lead ECG, Respiration, NIBP, Masimo Motion Tolerant SpO$_2$, Expansion Module & Printer, 2 channels of temperature and Dualstream CO$_2$ (requires Mainstream sensor, purchased separately), RS-432 Acuity Port

Propaq CS, Model 244 (Base Monitor)

9001-021880	Propaq CS, Model 244 - 8.4" TFT Color Display - monitors Adult 3-or 5-Lead ECG, Respiration, NIBP, 1 Invasive BP, Masimo Motion Tolerant SpO$_2$ and 2 channels of temperature RS-432 Acuity Port
9001-015016	Propaq CS, Model 244 - 8.4" TFT Color Display - monitors Adult 3-or 5-Lead ECG, Respiration, NIBP, 1 Invasive BP, Nellcor OxiMax SpO$_2$ and 2 channels of temperature RS-432 Acuity Port

Add Printer

9001-025312	Propaq CS, Model 244 - 8.4" TFT Color Display - monitors Adult 3-or 5-Lead ECG, Respiration, NIBP, 1 Invasive BP, Masimo Motion Tolerant SpO$_2$, Expansion Module and Printer and 2 channels of temperature RS-432 Acuity Port
9001-018448	Propaq CS, Model 244 - 8.4" TFT Color Display - monitors Adult 3- or 5-Lead ECG, Respiration, NIBP,1 Invasive BP, Nellcor OxiMax SpO$_2$, Expansion Module and Printer and 2 channels of temperature RS-432 Acuity Port

Add CO$_2$ — Masimo Versions

9001-026170	Propaq CS, Model 244 - 8.4" TFT Color Display - monitors Adult 3-or 5-Lead ECG, Respiration, NIBP, 1 Invasive BP, Masimo Motion Tolerant SpO$_2$, Expansion Module and Printer, 2 channels of temperature and Sidestream CO$_2$ RS-432 Acuity Port
9001-027028	Propaq CS, Model 244 - 8.4" TFT Color Display - monitors Adult 3-or 5-Lead ECG, Respiration, NIBP, 1 Invasive BP, Masimo Motion-Tolerant SpO$_2$, Expansion Module and Printer, 2 channels of temperature and Mainstream CO$_2$ RS-432 Aquity Port
9001-027886	Propaq CS, Model 244-8.4" TFT Color Display - monitors Adult 3-Lead ECG, Respiration, NIBP, 1 invasive BP, Masimo Motion-Tolerant SpO$_2$, Expansion Module & Printer, 2 channels of temperature and Dualstream CO$_2$ (requires Mainstream sensor, purchased separately), RS-432 Acuity Port

Add CO_2 — Nellcor Versions

9001-019306	Propaq CS, Model 244 - 8.4" TFT Color Display - monitors Adult 3-or 5-Lead ECG, Respiration, NIBP, 1 Invasive BP, Nellcor OxiMax SpO_2, Expansion Module and Printer, 2 channels of temperature and Sidestream CO_2 RS-432 Acuity Port
9001-020164	Propaq CS, Model 244 - 8.4" TFT Color Display - monitors Adult 3-or 5-Lead ECG, Respiration, NIBP, 1 Invasive BP, Nellcor OxiMax SpO_2, Expansion Module and Printer, 2 channels of temperature and Mainstream CO_2 RS-432 Acuity Port
9001-021022	Propaq CS, Model 244-8.4" TFT Color Display - monitors Adult 3-Lead ECG, NIBP, Respiration, 1 Invasive BP, Nellcor OxiMax SpO_2, Expansion Module & Printer, 2 channels of temperature and Dualstream CO_2 (requires Mainstream sensor, purchased separately), RS-432 Acuity Port

Propaq CS, Model 246 (Base Monitor)

9001-035608	Propaq CS, Model 246 - 8.4" TFT Color Display - monitors Adult 3-or 5-Lead ECG, Respiration, NIBP, 2 Invasive BP, Masimo Motion-Tolerant SpO_2 and 2 channels of temperature RS-432 Acuity Port
9001-028744	Propaq CS, Model 246 - 8.4" TFT Color Display - monitors Adult 3-or 5-Lead ECG, Respiration, NIBP, 2 Invasive BP, Nellcor OxiMax SpO_2 and 2 channels of temperature RS-432 Acuity Port

Add Printer

9001-039040	Propaq CS, Model 246 - 8.4" TFT Color Display - monitors Adult 3-or 5-Lead ECG, Respiration, NIBP, 2 Invasive BP, Masimo Motion-Tolerant SpO_2, Expansion Module and Printer and 2 channels of temperature RS-432 Acuity Port
9001-032176	Propaq CS, Model 246 - 8.4" TFT Color Display - monitors Adult 3-or 5-Lead ECG, Respiration, NIBP, 2 Invasive BP, Nellcor OxiMax SpO_2, Expansion Module and Printer and 2 channels of temperature RS-432 Acuity Port

Add CO2 — Masimo Versions

9001-039898	Propaq CS, Model 246 - 8.4" TFT Color Display - monitors Adult 3-or 5-Lead ECG, Respiration, NIBP, 2 Invasive BP, Masimo Motion-Tolerant SpO_2, Expansion Module and Printer, 2 channels of temperature and Sidestream CO_2 RS-432 Acuity Port
9001-040756	Propaq CS, Model 246 - 8.4" TFT Color Display - monitors Adult 3-or 5-Lead ECG, Respiration, NIBP, 2 Invasive BP, Masimo Motion Tolerant SpO_2, Expansion Module and Printer, 2 channels of temperature and Mainstream CO_2 RS-432 Acuity Port
9001-041614	Propaq CS, Model 246-8.4" TFT Color Display - monitors Adult 3-Lead ECG, Respiration, NIBP, 2 Invasive BP, Masimo Motion-Tolerant SpO_2, Expansion Module & Printer, 2 channels of temperature and Dualstream CO_2 (requires Mainstream sensor, purchased separately), RS-432 Acuity Port

Add CO_2 — Nellcor Versions

9001-033034	Propaq CS, Model 246 - 8.4" TFT Color Display - monitors Adult 3-or 5-Lead ECG, Respiration, NIBP, 2 Invasive BP, Nellcor OxiMax SpO_2, Expansion Module and Printer, 2 channels of temperature and Sidesteam CO_2 RS-432 Acuity Port
9001-033892	Propaq CS, Model 246 - 8.4" TFT Color Display - monitors Adult 3-or 5-Lead ECG, Respiration, NIBP, 2 Invasive BP, Nellcor OxiMax SpO_2, Expansion Module and Printer, 2 channels of temperature and Mainstream CO_2 RS-432 Acuity Port
9001-034750	Propaq CS, Model 246 - 8.4" TFT Color Display - monitors Adult 3-Lead ECG, NIBP, Respiration, 2 Invasive BP, Nellcor OxiMax SPO_2, Expansion Module & Printer, 2 channels of temperature and Dualstream CO_2 (requires Mainstream sensor, purchased separately), RS-442 Acuity Port

Propaq® CS Monitor: Accessories Battery Packs

008-0125-00	Rechargeable battery pack for Propaq Encore and CS monitors configured with SpO_2, CO_2, or Printer

Cables/Miscellaneous

008-0150-00	1" x 6" Velcro® cable organizers, Package of 10
008-0634-00	Nurse call interface cable, (unterminate)

Carrying Cases/Shipping Containers

900-0820-00	Protective case for Propaq CS with SpO_2, Sidestream CO_2 and/or Printer options
900-0017-00	Travel case for all Propaq models
900-0002-00	Accessory pouch

CO_2 Accessories: Mainstream CO_2

008-0261-00	Multi-Use Adult/Pediatric, CO_2 airway adapters, box of 3 (for patients with endotracheal tubes larger than 5.0mm I.D.)
008-0132-00	Adult/Pediatric single patient use CO_2 airway adapters for Mainstream CO_2 monitoring option, (box of 10)
008-0367-00	Adult/Pediatric single patient use CO_2 airway adapters for Mainstream CO_2 monitoring option, (box of 24)
008-0263-00	Low Deadspace, single patient use CO_2 airway adapters, (box of 10) (for patients with endotracheal tubes 5.0mm I.D. or smaller)
008-0502-01	CO_2 Sensor and Airway Adapter Set (contains 1 each Mainstream CO_2 Sensor with 10 ft cable, single patient use airway adapter, storage case, Directions for Use)

ECG Accessories: 3-Lead ECG Cables

008-0315-00	ECG 10 ft one-piece shielded 3-lead cable with snap connector lead wires
008-0429-00	ECG 3-lead right angle cable, safety DIN, .060", for use with 008-0321-00, 008-0317-00 and 008-0323-00
008-0316-00	ECG 3-lead cable, shielded, safety DIN, .060", for use with 008-0323-00, 008-0321-00 and 008-0317-00
008-0321-00	ECG 3-lead wire set, safety DIN, .060", adult pinch connectors, for use with 008-0316-00 and 008-0429-00
008-0317-00	ECG 3-lead wire set, safety DIN, .060", neonatal pinch connectors, for use with 008-0316-00 and 008-0429-00
008-0323-00	ECG 3-lead wire set, safety DIN, .060", snap connectors, for use with 008-0316-00 and 008-0429-00

5-Lead ECG Cables

008-0734-00	ECG Adapter Cable, Micropaq to Propaq, AAMI®
008-0313-00	ECG 10 ft one-piece shielded 5-lead cable with snap connector lead wires
008-0314-00	ECG 5-lead shielded ECG cable, safety DIN, .060", for use with 008-0322-00 and 008-0319-00
008-0322-00	ECG, 5-lead wire set, safety DIN, .060", snap connectors, for use with 008-0314-00
008-0319-00	ECG 5-lead wire set, safety DIN, .060", adult pinch connectors, for use with 008-0314-00

IBP Pressure Transducers

008-0226-01	IBP Cable for MX900 and MX860
008-0225-01	IBP Cable for MX950
008-0224-00	IBP Domes for MX860 (case of 50)
008-0232-00	IBP Transducer, Disposable, MX950 (case of 10)

Large Color Display Option

008-0939-00	Controller Kit for Propaq Large Color Display includes power cord, user manual and Propaq/Acuity Adapter
008-0964-00	Controller Kit with hand-held remote for Propaq Large Color Display, includes power cord, user manual and Propaq/Acuity Adapter
008-0394-00	Medical grade power conditioner (isolation transformer), 120 VAC, includes power cord
008-0397-00	Medical grade power conditioner (isolation transformer), 120 VAC, with wall mount and power cord
008-1000-00	19" Analog/Digital flat panel display
008-0744-00	2', blue TIA 568 coiled cable

008-0745-00	3', blue TIA 568 coiled cable
008-0746-00	4', blue TIA 568 coiled cable

Mounting Systems: Pole Mounting

008-0942-00	Wall mount kit for Large Color Display Controller
008-0205-00	Pole Mount Clamp (order monitor Back plate or Wraparound pan with aluminum slide separately, if not already installed)
008-0204-00	Back Plate with aluminum slide for monitors with CO_2 and/or Printer options (for use with Pole Mount Clamp, which is purchased separately)
008-0215-00	Wraparound Pan with aluminum slide for monitors with SpO_2 option (for use with Pole Mount Clamp, which is purchased separately)

Wall Mounting

008-0887-00	Complete wall mount Kit (6" basket, tilt mount and 19" wall channel) with 8" pivot arm, for monitors with SpO_2 option
008-0888-00	Complete wall mount kit (6" basket, tilt mount and 19" wall channel) with 8" pivot arm, for monitors with CO_2 and/or Printer option
008-0200-01	6" wire basket for wall mount
008-0203-00	19" wall channel

Roll Stand Mounting

008-0890-00	Wraparound pan for monitors with SpO_2 option (for use with Roll Stands and Wall Mounts)
008-0796-00	Complete roll stand kit (handle, basket, and mount), for monitors with CO_2 and/or Printer options
008-0797-00	Complete roll stand kit (handle, basket, and mount), for monitors with SpO_2 option
008-0197-01	6" wire basket for roll stand mount

Miscellaneous Mounting Accessories

008-0890-00	Wraparound pan for monitors with SpO_2 option (for use with roll stands and wall mounts)
008-0642-00	Drop-on style mounting upgrade kit, includes mounting plate and adapter
008-0453-00	Mounting Bracket for universal power adapter (part number 503-0054-XX), requires wall mount slide, part number 008-0793-00
008-0793-00	Wall mount slide

NIBP Accessories

008-0010-00	10ft NIBP hose with twist lock cuff connector for Adult/Pediatric cuffs with bladders
008-0238-00	10ft NIBP hose with twist lock cuff connector for Adult/Pediatric bladderless cuffs
008-0265-01	8ft NIBP hose for Infant/Neonate cuffs

NIBP Disposable Cuffs - Bladderless

5082-101-1	Neonate #1, 3.3 - 5.6 cm single tube with male luer connector (box of 10)
5082-102-1	Neonate #2, 4.2 - 7.1 cm single tube with male luer connector (box of 10)
5082-103-1	Neonate #3, 5.4 - 9.1 cm single tube with male luer connector (box of 10)
5082-104-1	Neonate #4, 6.9 - 11.7 cm single tube with male luer connector (box of 10)
5082-105-1	Neonate #5, 8.9 - 15.0 cm single tube with male luer connector (box of 10)
5082-241-9	Neonatal Cuff Kit, one each of sizes #1 - #5, single tube with male luer connector (bag of 5)
SOFT-09-1MQ	Child One-Tube Cuff [Size 9]
SOFT-10-1MQ	Small Adult One-Tube Cuff [Size 10]
SOFT-11-1MQ	Adult One-Tube Cuff [Size 11]
SOFT-12-1MQ	Large Adult One-Tube Cuff [Size 12]

NIBP Reusable Cuffs – Bladderless

REUSE-09-1MQ	Child One-Tube Cuff [Size 9]
REUSE-10-1MQ	Small Adult One-Tube Cuff [Size 10]
REUSE-11-1MQ	Adult One-Tube Cuff [Size 11]
REUSE-12-1MQ	Large Adult One-Tube Cuff [Size 12]

Power Cords

503-0054-02	AC Adapter for all Propaq Encore and CS models, North American 120 VAC, 60 Hz (Power cord not included)
008-0333-00	Hospital-grade power cord

Printer Supplies

008-0040-98	Standard thermal print paper, 10 rolls
008-0040-99	Standard thermal print paper, 100 rolls
008-0178-00	Premium fade-resistant thermal print paper, 10 rolls

Pulse Oximetry Accessories

008-0648-00	Masimo - LNOP-DCI Adult reusable sensor
008-0656-00	Masimo - LNOP-DCIP Pediatric reusable sensor
008-0692-02	Masimo - 8 ft interface cable, compatible with round side panel connector (interface cable required with Masimo sensors)
008-0824-00	Masimo - 8 ft interface cable, compatible with rectangle side panel connector (interface cable required for Masimo sensors)
900-0021-00	Nellcor - DS-100A Durasensor Adult reusable sensor
008-0742-00	Nellcor - 8 ft differential extension cable

Temperature Sensors and Cables

008-0235-00	10 ft extension cable for reusable probes
008-0230-00	General purpose reusable probe, Adult
008-0229-00	Reusable skin surface probe, Adult
008-0756-00	Reusable skin surface probe, Pediatric
008-0236-00	Tempheart adhesive pad for use with skin surface temperature probes, (box of 100)

008-0648-00
Masimo® - LNOP-DCI Adult
reusable sensor (Masimo)

008-0656-00
LNOP-DCIP Pediatric
Reusable Sensor (Masimo)

900-0021-00
DS-100A Durasensor
Adult reusable sensor (Nellcor)